



READY FOR THE FUTURE OF ELECTRONICS?

Hi-Rel Business | Power Management
Obsolescence Solutions | E-Mobility

OUR SERVICES AT A GLANCE

Hi-Rel Business

Aerospace, Avionics, Defense, Hybrid Capacitors, High-Temperature Devices, Motion Control, Rad-Hard Space Products

E-Mobility

Capacitor Modules, EV-Charger Modules, Hybrid Vehicle Solutions, Motion Controllers

Control Elements

Piezo Switches, Keypads
Access Control, Custom OEM

Power Management



AC/DC-, DC/DC-Converters, Battery Supercapacitors, Energy Harvesting Products

Obsolescence Solutions

Adapter Solutions, Anti-Counterfeiting Program, BGA Reballing, Long Lifetime Program, MCM, Memories, Requirement Engineering, Re-Tinning



HI-REL BUSINESS

Manufacturers	Products	Applications
 A Micross company	Robotic Hot Solder Dip - compliance with RoHS directive, Elimination of Tin-Whiskers through tin-lead-alloy, Lead Attach Coplanarity and Compression Bond, lead-free Solder Alloy, Gold Mitigation, Forming and Cutting of Pins, BGA Reballing for the Conversion of tin-lead	Aerospace, Defense, Marine
	Multi-Channel Analog to Digital Converters, Sampling A/D-Converters, LDOs, Voltage References, Multi-Channel Complete Data Acquisition, Amplifiers, COTS Isolated and Non-Isolated DC/DC-Converters, operating temperature up to +200°C	Hi-Rel, Military, Airborne, Aerospace, High Temperature

*

HI-REL BUSINESS





Manufacturers	Products	Applications
	Highest Energy and Power Density Capacitors with MTBF>5.000.000 hours, product range 68 to 240.000µF (10 to 125V) +85°C, +125°C and +200°C, very low ESR, very high current handling capability, highest levels of quality, qualified to NASA INST-002, ISO 9001 and AS9100 registered	Power Hold-up Avionics, Laser Pulse Power, Phased Array Radar Pulse Power, Replacement of Batteries, Oil & Gas Exploration
	ESCC 5000 and 5010 qualified Hi-Rel components, Rad-Hard Power MOSFETs, Microwave Transistors, Microwave Diodes, Bare Dies No export license required!	Space, Satellite, Microwave RF Applications
 An Infineon Technologies Company	Rad-Hard & Hermetic MOSFETs, Schottky & Ultra-Fast Rectifiers, IGBTs Integrated Circuits, LDOs - MIL-PRF-19500 & MIL-PRF-38534 qualified parts, DC/DC-Converters, EMI Filters, Rad-Hard Solid State Relays, Hybrids & Modules	Hi-Rel, Defense, Space, Aircraft
	Rad-Hard Space qualified Optocouplers, High Gain-, High Speed-, High Voltage Optocouplers, manufacturing, screening & testing of Hi-Rel optoelectronic components, European manufacturer, ITAR free products	Hi-Rel, Space, Military, Avionics
 one source. one solution.™	QML supplier fully certified to AS9100 and ISO9001 Certified to MIL-PRF-38535 Class Q & V and MIL-PRF-38534 Class H Over 1100 part numbers listed with DSCC High Temp Hi-Temp devices in ceramic, plastic, bare die, capacitors, crystals, oscillators, resistors, transformers and inductors along with other RF components. Can operate above 175°C	Aerospace, Defense, Space, Industrial-Embedded and Medical Diagnostic Markets
	The world's first reflowable, slim profile, low ESR Ultracapacitor +85°C, 500mF Hermetic Ultra-Capacitor Technology D & AA size cells, 33 to 370F capacitance, extreme temperature operation -40 to +300°C, custom modules, high cycle life, high shock 500G peak & vibration 20G rms, lithium free - no risk of explosions, high cycle life, 20+ year shelf life, weldable terminals for parallel or series connect	Hi-Rel Avionics, High Temperature Products for Oil & Gas Exploration
 A Nanoramic Labs Division	High-End thermal interface gap filler pads non-reactive, non-silicon, no cure system featuring high thermal conductivity (>40W/mK) & (>20W/mK) and high thermal stability, with continuous operation over 150°C	High Temperature Products for EVC, High Power Cooling Systems
	Smart SSD Circuit Breakers, High Performance Miniature Motor Controller Drivers, Wide range of Defense oriented Motion Control Drivers, Electronic Circuit Breakers, BOSS-Multi Axis Motor Controllers, High Performance EV Dual-Motor Controller Drivers, High Performance and High Power Motor Controller Drivers, Multichannel Power Riders, Heavy Duty Motor Fan Drivers, High Performance Motor Controller Drivers, High Performance Stabilization Systems	Mobile Robots, Missiles, Tank Applications, Drone Motor Motion Control, Ship Motor Drivers, Circuit Breakers, Landing Gear and Aviation
	Rad-Hard POL Converters, Custom Power Bus Products, Quad LVDS Line Receiver with Extended Common Mode, Quad LVDS Line Driver, screening & testing of SPACE IC products to the ESCC 9000 requirements	Space Missions, Satellite Business
 State of the Art, Inc.	MIL-PRF-55342, MIL-PRF-914, MIL-PRF-32159 Mission critical Thin & Thick Film Chip Resistors, High Frequency Products, Silicon Resistors, Chip Attenuators, Current Sense Resistors, High Power Chip Resistors, Zero Ohm Chip Resistors	Space, Defense, High Quality, Medical Industry, Hybrids, Biomedical
	High Reliability & High Temperature Hybrid Microcircuit Crystal Oscillators, MIL-PRF-55310, MIL-PRF-38534, MIL-883B, TTL-LVTTL-CMOS-HC/ACMOS-ECL, lowest voltage is 1.8V, SMD-Packages 5x7mm, High Shock & Vibration Designs, operating temperature up to +230°C	Hi-Rel, Defense, Space, Aircraft, High Temperature

*

POWER MANAGEMENT



Manufacturers	Products	Applications
	Isolated Single, Dual and Triple Output DC/DC Converters up to 2100W, High Performance DC/DC-Bricks, high efficiency operation up to 97%, Module & Open Frame Converters, SMT&THT, Brick Assembly Modules (CBAM™), Commercial-off-the-shelf (COTS) Converters, Bi-directional 3000W, High-Power-Custom DC/DC Solutions, AC/DC 300W and 600W with 90-264VAC input operating temperature range -40 to +105°C, up to 5-year warranty	Industrial, Transportation, Medical Industry, Avionics, Defense, Marine, Railway
	Single and Dual Output DC/DC Converters from 1 to 75W, Industry Standard Footprints SIP, DIP, SMT, 1x1 and 1x2 Thru Hole Patterns, Switch mode AC/DC Supplies, 15 to 150W chassis, encapsulated PCB mount from 2 to 60W, 2-year warranty	Commercial, Industrial, Medical Industry, Railway
	DC/DC-Converters Isolated and Non-Isolated, Point-of Load DC/DC-Converters 15 to 100W, 24-Pin DIP DC/DC-Converters up to 15W, 1"x1" DC/DC-Converters up to 40W, DOSA-Compatible Brick DC/DC-Converters 14 to 600W	Industrial, Medical, Scientific, Hi-Rel Military, Airborne, Aerospace, Railway
	Highly Efficient Dual Regulated Output Ambient Energy Manager, Harvesting from Photovoltaic Cells and Thermo-Electric Generators, Ultra-Low-Power-Start-up, Ultra-Low-Power Boost Regulator, integrated LDO Regulator at low voltage 1.8V and high voltage 4.2V, Flexible Energy Storage Management, input voltage 60mV, input power 3µW, smallest footprint, package QFN-28-pin, smallest external BOM New Products: Photovoltaic-, Thermal-, Vibration-, RF- Energy Harvesting PMICs	Wireless sensors, Industry 4.0, Home Automation, Security, Retail, Smart Metering, Smart Agriculture, Wearables, E-Health, Mobility
	Highest Energy and Power Density Capacitors with MTBF>5.000.000 hours, product range 68 to 240.000µF (10 to 125V) +85°C and +125°C, very low ESR, very high current handling capability, highest levels of quality, operating temperature up to +200°C	Power Hold-up Avionics, Laser Pulse Power, Phased Array Radar Pulse Power, Replacement of Standard Capacitors & Batteries, Oil & Gas Exploration
	The world's first reflowable, slim profile, low ESR Ultracapacitor +85°C, 500mF Hermetic Ultra-Capacitor Technology D & AA size cells, 33 to 370F capacitance, extreme temperature operation -40 to +300°C, custom modules, vibration & 500g shock resistance, lithium free - no risk of explosions, high cycle life, 20+ year shelf life, weldable terminals for parallel or series connect	Hi-Rel Avionics, High Temperature Products for Oil & Gas Exploration
	High-End thermal interface gap filler pads non-reactive, non-silicon, no cure system featuring high thermal conductivity (>40W/mK) & (>20W/mK) and high thermal stability, with continuous operation over 150°C	High Temperature Products for EVC, High Power Cooling Systems
	Isolated DC/DC- Brick Converters 15 to 1000W, efficiency up to 95%, over-voltage, over-current, short-circuit and over-temperature protection Rugged COTS DC/DC Converters up to 800W, input voltage range 10:1, 8:1, 4:1, 2:1 Railway DC/DC-Converters: Input voltage 10 to 160VDC, 50 to 800W High Voltage DC/DC-Converters: 180 to 650VDC, 300 to 800W AC/DC 3,3-48Vout and 85-305Vin, 15-800Wout, VPX: 3U 500W and 6U 1000W VITAR	Railway, Industrial, Rugged COTS
	Power Rider - Smart Electronic Circuit Breakers, Multi Channels Management, Real Time Reaction, Smart Energy Power Distribution Unit (EPD/PDU)	Aerospace, Robotics, Helicopters
	Single and Dual Output DC/DC Converters from 0.1 to 40W, Industry Standard Footprints SIP, DIP, SMT, 1x1 and 1x2 Thru Hole Patterns, Switch mode AC/DC Supplies; encapsulated PCB mount from 3 to 30W, AC/DC power supply 25 to 1200W Enclosed/Open frame type, 15 to 480W AC/DC DIN RAIL Power Supply 2-year warranty	Commercial, Industrial, Medical Industry, Railway

E-MOBILITY

Manufacturers	Products	Applications
	1000 Watt Full-Bricks with wide input range at 9 to 36VDC and efficiency at 95%. The 3,000 Watt 12V/48V Bi-directional Non-Isolated DC/DC-Converters with an efficiency up to 97% and CAN 2.0b interface including remote ON/OFF, DC/DC Converter with input voltage from 240 to 450VDC, output voltage from 9 to 16VDC and 3kW output power with an efficiency > 96% (peak efficiency), good shock and vibration dampening, operating temperature range -40 to +105°C, up to 5-year warranty	EV-Chargers, EV, Autonomous Vehicles, Mild-Hybrid-Vehicles
	EV Input DC-DC Converters from 60V up to 800V with 1 to 4.2KW, output voltages with 13.8 to 55V. customized CAN communication, programmable CV/CC Output, IP67 Enclosure, liquid or forced air cooling, higher power through parallel multiple converters or custom-designs, EV On-Board Chargers with 85 to 265VAC input voltage and single 6.6KW OBC or 2-in-1 integrated 6.6KW OBC and 2KW DC/DC, liquid or forced air cooling, IP67 Enclosure, CAN Communication, compliance with SAE J1772/IEC 61851	Electric Vehicles
	BOSS-Multi Axis Motor Controllers, High Performance Miniature Motor Controller Drivers, High Performance DC Motor Controller Drivers, High Performance EV Dual-motor Controller Drivers, High Performance and High Power Motor Controller Drivers, Heavy Duty Motor Fan Drivers, High Performance Stabilization Systems, Electronic Circuit Breakers, Multichannel Power Riders	Automotive, Hybrid Vehicles, Very Small Robots
	High-End thermal interface gap filler pads non-reactive, non-silicon, no cure system featuring high thermal conductivity (>40W/mK) & (>20W/mK) and high thermal stability, with continuous operation over 150°C	High Temperature Products for EVC, High Power Cooling Systems

*

DISPLAY AND CONTROL ELEMENTS

Manufacturers	Products	Applications
	Touch Metal Piezo Switches & Keypads, Piezo Electric Pushbutton Switches: Ring-, Point- and Non-illuminated from 16mm to 28mm diameters. Piezo Electric Keypads, Access Control Stand Alone, Access Control Keypads with communication protocol, Access Control Keypads Reader, Industrial Solutions and Custom Design, all products are in Aluminium or Stainless Steel with an operation temperature from -40 to +125°C and IP68/69K protection class. Tested for 50,000,000 cycles including vibration and impact tests, Non-Touch Infrared Metal Switches with detection range 5 to 80cm Piezo Technology Pushbuttons work reliably under a glass thickness of 3 mm	Piezo Switches, Custom OEM Products, Keypads, Access Control Panels Fuel dispensing e-Car Charging, Underwater, Submarines, Oil and Gas, Parking Systems, Airport, Aviation, Military, Rail Traffic & Public Transport, Emergency Switches
	Character Displays & Graphic LCD Displays, TN-, STN-, FSTN-, COB-, TAB-, TFT-, LCD-Modules, HDMI/VGA Driver Boards, UART Interface, OLED Character & Graphic Displays, OLED Modules, OLED Switches	Industrial Measuring Instruments, Control Devices

*

OBSOLESCENCE SOLUTIONS

Manufacturers	Products	Applications
 <p>CORFIN INDUSTRIES</p> <p>A Micross company</p>	<p>Robotic Hot Solder Dip – Compliance with RoHS directive Component Obsolescence Challenges, Non-availability of tin-lead components, Life-time buy opportunity (Long Term Packaging), BGA Reballing for the Conversion of tin-lead, Component Harvesting, Lead Reconditioning, Lead Attach, Forming and Cutting of Pins, Elimination of Tin-Whiskers through tin-lead-alloy, grid failure <1%</p> <p>New Certification: Nadcap AC7120/11</p>	<p>Aerospace, Defense, Implantable Medical Industry, Transportation</p>
 <p>DATEL INNOVATION and EXCELLENCE</p>	<p>DATEL products are guaranteed to be available for long-term programs, Form-Fit-Function guaranteed for obsolete products, System in a Package (SIP) Technology is a Multi-Chip Module to improve performance and/or reliability while reducing size, Legacy 24 Bit Sampling A/D-Converters, 16 Bit D/A-Converters, Amplifiers, Multi-Channel Converters – Hybrid Data Acquisition Systems, Obsolete component replacement, Reverse Engineering, Process Porting & Device Replication, Custom solutions, low-volume & high-volume applications. RoHS and Non-RoHS versions available</p>	<p>Medical Industry, Industrial, Scientific, Military, Airborne, Aerospace</p>
 <p>micross one source. one solution.™</p>	<p>Counterfeit Mitigation Services: IC Counterfeit Detection Testing SMD/5962 DLA/DSCC SMD Products 1,100 standard DLA/DSCC-certified SMD products Memory: SRAM, nvSRAM, SDRAM, DRAM (DDR2/3), FRAM, MRAM, VRAM, UVEPROM, EEPROM, Flash COTS Products Analog: Voltage Regulators, Operational Amps, Voltage Comparators, ADC/DAC Devices, Line Drive/Receivers, Power Discretes</p>	<p>Aerospace & Defense, Space, Commercial Applications.</p>
 <p>WINSLOW ADAPTICS</p>	<p>Custom solutions for mitigating Device Obsolescence and Board Re-Design Adapter Products, 1:1 Footprint Conversion, ASIC / FPGA Adapters to include code reconstruction and re-targeting, Interconnect Pitch Adapters, Programming Adapter Functionality Upgrade, Production & Test Sockets, Atmel AVR Adapters for µC, Reverse Engineering of Small Plastic & Metal Parts</p>	<p>Adapter Solutions, Device Specific Package Conversion</p>
 <p>Xsis</p>	<p>High Reliability Hybrid Microcircuit Crystal Oscillators & Crystal Units Crystal Oscillators: Standard, Military, High Temperature up to +230°C, QPL M55310 Crystal Units: QPL Crystal Units, Custom Crystal Units Obsolete Through Hole packages, High Shock & Vibration Designs, Custom Solutions, Up-Screening Program</p>	<p>Military, High Reliability Industrial & Telecommu- nications, Defense, Space, Aircraft, High Temperature</p>

*

* The copyright of the used pictorial material is owned by the respective manufacturer.

OUR SERVICES

KAMAKA WAS ESTABLISHED IN 1992

- ▶ Strategic Obsolescence Management
 - ▶ Anti-Counterfeiting Program
 - ▶ Life Cycle Management
 - ▶ Long Lifetime Program up to 25 years
 - ▶ Last Time Buy, EOL-, PCN-Service
 - ▶ Requirement Engineering
 - ▶ Custom Multi Chip Modules
 - ▶ Supplier Risk Management
 - ▶ Worldwide Access to Allocation & Obsolete Products
 - ▶ Qualified Visual & Electrical Test Reports
 - ▶ Monitoring of Critical Components
 - ▶ Up-Screening
 - ▶ Quality Inspection
- ▶ Traceability is guaranteed
 - ▶ AQL Spot Checks according to DIN/ISO 2859-1
 - ▶ Total Quality Management:
DIN EN 9120:2018 (technically equivalent to AS 9120B and SJAC 9120A); DIN EN ISO 9001:2015;
DIN EN 61340-5-1: ESD compliant storage & handling process

MEMBERSHIPS



ABOUT US

SINCE 1992, KAMAKA ELECTRONIC BAUELEMENTE VERTRIEBS GMBH HAS GLOBALLY ACTED AS ESTABLISHED DISTRIBUTOR FOR WELL-KNOWN MANUFACTURERS. CUSTOMER SATISFACTION IS OUR PRIORITY, WE DO NOT ONLY PROVIDE YOU WITH COMPETENT AND QUALIFIED CONSULTATION BUT ALSO WITH A RELIABLE APPLICATION SUPPORT TO ALL OUR PRODUCTS.

Bildnachweise: © VeSilvia/fotolia.de, © think4photop/fotolia.de, © euregiocontent/fotolia.de, © jim/fotolia.de, © nikanomad/fotolia.de, © Tierney/stock.adobe.com, © KAMAKA

HEADQUARTERS

Ulmer Strasse 130
73431 Aalen
Germany
Phone +49-7361-9662-0
Fax +49-7361-9662-29

SALES OFFICE NORTH

Robert-Bosch-Strasse 25
25335 Elmshorn
Germany
Phone +49-4121-463-900
Fax +49-4121-463-901

www.kamaka.de

